

AUTHOR INDEX

- Aketagawa, J., 181
Andersson, R. E., 221
Andini, S., 87
Antal, Jr., M. J., 71
Anthonsen, M. W., 19
Asano, N., 255
- Ballou, C. E., 107
Bancal, P., 137
Bischoff, M., 1
- Calub, T. M., 29
Campos-Valdes, M. T., 263
Carpita, N. C., 127, 137
Castronuovo, G., 87
Chatterton, N. J., 43
Chien, S.-F., 191
- Dax, K., 59
Defaye, J., 51
Denis, G. V., 107
- Elia, V. 87
- Fechter, M., 59
Fernandez-Santana, V., 263
Fornasier, R., 245
Fournet, B., 117
Franz, G., 153
French, A. D., 29
Fu, D., 201
Fujimoto, S., 213
- Gadelle, A., 51
Gallotta, E., 87
Gaudillère, J. P., 137
Gomaa, K., 153
Gradnig, G., 59
Grasdalen, H., 19
Grassberger, V., 59
- Hanafusa, T., 7
Hendrix, J. E., 127
Henrichsen, J., 171
Henson, C. A., 137
Hernandez-Rensoli, M., 263
Hizukuri, S., 251
Holme, K. R., 237
Housley, T. L., 127
- Illaszewicz, C., 59
- Jäger, B., 99
Jansson, P.-E., 171
- Kawamura, M., 7
Kitazono, J.-I., 213
Kol, O., 117
Köll, P., 1
Kopf, J., 1
Kraus, J., 153
- Lay, H., 99
Leesomboon, T., 71
Lehmann, J., 99
Lin-Chu, M., 191
Lindberg, J., 171
Liu, J., 43
Ludwig-Baxter, K. G., 227
- Marcuzzi, F., 245
Mariño-Albernas, J. R., 263
Matsui, K., 255
Mok, W. S., 71
Montreuil, J., 117
- Nagahama, T., 213
- Parmagnani, M., 245
Pedersen, C., 51
Perez-Martinez, C. S., 263
Perlin, A. S., 227, 237
- Ramana, K. S., 163
Rao, E. V., 163
Richards, G. N., 71
Robyt, J. F., 201
Röper, H., 153
- Saitô, H., 181
Salomonsson, A.-C. B., 221
Sawada, M., 7
Shibata, Y., 181
Smets, P., 117
Smidsrød, O., 19
Strecker, G., 117
Stütz, A. E., 59
Suganuma, T., 213
- Takai, Y., 7
Tanaka, K., 255
Tanaka, S., 181
Tanaka, T., 7

Taniguchi, T., 7
 Tegge, W., 107
 Theander, O., 221
 Tomaszewski, M. J., 237
 Tonellato, U., 245
 Torneport, L. J., 221

Uchiyama, T., 7
 Uehara, N., 181
 Ungerank, M., 59

Vårum, K. M., 19
 Verez-Bencomo, V., 263

Waterhouse, A. L., 29, 43
 Wieruszeski, J.-M., 117
 Wimalasiri, K. M. S., 171

Yoshinaga, K., 213
 Yoshioka, Y., 181

Zalish, R., 117
 Ziser, L., 99

SUBJECT INDEX

- Acetylation sequences in partially *N*-deacetylated chitins (chitosans), ^{13}C -n.m.r. studies of the, 19
- Aldoses in water at high temperature: mechanism of formation of 2-furaldehyde from D-xylose, kinetic study of the reactions of ketoses and, 71
- D-Altitol, crystal and molecular structure of, 1
- Amylose, properties of hot-water-extractable, 251
- Biological response-conformation relationship in (1 \rightarrow 3)- β -D-glucans, 181
- Bromide-oxidised potato starch, a ^1H - and ^{13}C -n.m.r. study of, 221
- Calcium ion-release activity of D- and L-*myo*-inositol 2,4,5-trisphosphate and D- and L-*chiro*-inositol trisphosphate, synthesis and, 107
- Calorimetric and spectroscopic studies of the interaction of cyclomaltohexaose (α -cyclodextrin) with alkanols at 25°, 87
- (*R*)-(–)-Carvone, stereoselective reduction with sodium dethionite in the presence of cyclomaltoheptaose (β -cyclodextrin) and its heptakis(2,6-di-*O*-methyl) derivative, 345
- Chitosans (partially *N*-deacetylated chitins), ^{13}C -n.m.r. studies of the acetylation sequences in, 19
- ^{13}C -N.m.r. studies of the acetylation sequences in partially *N*-deacetylated chitins (chitosans), 19
- Conformational analysis of 1-kestose by molecular mechanics and by n.m.r. spectroscopy, 29
- Conformation-biological response relationship in (1 \rightarrow 3)- β -D-glucans, 181
- Crystal structure of D-altitol, 1
- Crystal structure of cycloinulohexaose produced from inulin by cycloinulo-oligosaccharide fructanotransferase, 7
- Cycloinulohexaose produced from inulin by cycloinulo-oligosaccharide fructanotransferase, crystal structure of, 7
- Cyclomaltoheptaose (β -cyclodextrin) and its heptakis(2,6-di-*O*-methyl) derivative, stereoselective reduction of (*R*)-(–)-carvone with sodium dithionite in the presence of, 245
- Cyclomaltohexaose (α -cyclodextrin), calorimetric and spectroscopic studies of the interaction with alkanols at 25°, 87
- Degradation of a glycosylated aldose, a potential method for sequencing branched oligosaccharides based on stepwise, 99
- Dermatan sulfate, n.m.r. spectra of, 227
- Dermatan sulfate, separation from heparin of, 227
- 3,6-Dioxaoctanal, 8-hydroxy-, glycosides, synthesis of, 263
- (1,2-Ethandiyl)- β -D-mannopyranose in a neighboring-group participation reaction of 2-*O*-(2-hydroxyethyl)-D-mannose, formation of 1,2-*O*-, 237
- Formation of 1,2-*O*-(1,2-ethandiyl)- β -D-mannopyranose in a neighboring-group participation reaction of 2-*O*-(2-hydroxyethyl)-D-mannose, 237
- Fructan chemical structure, use of an exohydrolase in studies of, 137
- Fructans from plants, new structural features of, revealed by methylation analysis and ^{13}C -n.m.r. spectroscopy, 127
- α -D-Galactosidase from taro, conversion of red blood cells group B into group O by, 191
- Glomerella cingulata* Spaulding & von Schrenck, structural investigations of glucans from cultures of the fungus, 153
- Glucans from cultures of *Glomerella cingulata* Spaulding & von Schrenck, structural investigations of, 153
- (1 \rightarrow 3)- β -D-Glucans, relationship between conformation and biological response in, 181
- D-Glucofuranurono-6,3-lactone, synthesis of four diastereomeric octofuranoses from, *via* Grignard reactions, 59
- α -Glucosidase (of rice), synthesis of *p*-nitrophenyl α -glucobiosides by use of native and immobilized, 255
- Glycosyltransferases, *Streptococcus mutans* 6715, maltodextrin acceptor reactions of, 201
- Glycosylated aldose, a potential method for sequencing branched 8-oligosaccharides based on stepwise degradation of a, 99
- Glycosyloxy-3,6-dioxaoctanal, synthesis of, 263
- Grignard reactions, synthesis of four diastereomeric octofuranoses from D-glucofuranurono-6,3-lactone *via*, 59
- Heparin, separation from dermatan sulfate of, 227
- Hot-water-extractable amylose, properties of, 251
- 8-Hydroxy-3,6-dioxaoctanal glycosides, synthesis of, 263

- myo*-Inositol 2,4,5-trisphosphates (D- and L-) and *chiro*-inositol 1,3,4-trisphosphates (D- and L-), synthesis and Ca^{2+} -release activity, 107
- Interaction of cyclomaltohexaose (α -cyclodextrin) with alkanols at 25°, calorimetric and spectroscopic studies of the, 87
- Kestose and neokestose, proton and carbon chemical-shift assignments from two-dimensional n.m.r. measurements, for, 43
- Ketoses and aldoses in water at high temperature: mechanism of formation of 2-furaldehyde from D-xylose, kinetic study of the reactions of, 71
- Kinetic parameters for maltotriose and higher malto-oligosaccharides in the reactions catalyzed by α -D-glucan phosphorylase from potato, 213
- Kinetic study of the reactions of ketoses and aldoses in water at high temperature: mechanism of formation of 2-furaldehyde from D-xylose, 71
- Klebsiella pneumoniae* OK2 lipopolysaccharide, structure of O-specific polysaccharide chain of, 117
- Lipopolysaccharide of *Klebsiella pneumoniae* OK2, structure of O-specific polysaccharide chain of, 117
- Maltodextrin acceptor reaction of *Streptococcus mutans* 6715 glucosyltransferases, 201
- Maltotriose and higher malto-oligosaccharides, kinetic parameters for the reactions catalyzed by α -D-glucan, phosphorylase from potato, 213
- Molecular mechanics, conformational analysis of 1-kestose by, and by n.m.r. spectroscopy, 29
- Molecular structure of D-altitrol, 1
- Neighboring-group participation reaction of 2-O-(2-hydroxyethyl)-D-mannose, formation of 1,2-O-(1,2-ethandiyl)- β -D-mannopyranose in a, 237
- Neokestose and 6-kestose, proton and carbon chemical-shift assignments from two-dimensional n.m.r. measurements, for, 43
- p*-Nitrophenyl α -glucobiosides, enzymic synthesis by use of native and immobilized rice α -glucosidase, 255
- N.m.r. measurements, two-dimensional, proton and carbon chemical-shift assignments for 6-kestose and neokestose from, 43
- N.m.r. spectroscopy, conformational analysis of 1-kestose by molecular mechanics and by, 29
- N.m.r. study of bromine-oxidised potato starch, a ^1H - and ^{13}C -, 221
- Octofuranoses, synthesis of four diastereomeric, from D-glucofuranurono-6,3-lactone via Grignard reactions, 59
- Phosphorylase, α -D-glucan, from potato, kinetic parameters for reactions of maltotriose and higher malto-oligosaccharides catalyzed by, 213
- Plant-fructan structure, new features revealed by methylation analysis and ^{13}C -n.m.r. spectroscopy, 127
- Plant-fructan structure, use of an exohydrolase in studies of, 137
- Polysaccharide from *Streptococcus pneumoniae* type 7B, structure of the capsular, 171
- Polysaccharide isolated from the green seaweed *Chaetomorpha antennina*, structural studies of a, 163
- Properties of hot-water-extractable amylose, 251
- Red blood cells group B, conversion into group O by α -D-galactosidase from taro, 191
- Seaweed *Chaetomorpha antennina*, structural studies of a polysaccharide isolated from the green, 163
- O-Specific polysaccharide chain of lipopolysaccharide of *Klebsiella pneumoniae* OK2, structure of, 117
- Starch, a ^1H - and ^{13}C -n.m.r. study of bromine-oxidised potato, 221
- Stepwise degradation of a glycosylated aldose: a potential method for sequencing branched oligosaccharides, 99
- Stereoselective reduction of (*R*)-(-)-carvone with sodium dithionite in the presence of cyclomaltoheptaose (β -cyclodextrin) and its heptakis (2,6-di-O-methyl) derivative, 245
- Streptococcus pneumoniae* type 7B, structure of the capsular polysaccharide from, 171
- Structural investigations of glucans from cultures of *Glomerella cingulata* Spaulding & von Schrenck, 153
- Structural studies of a polysaccharide isolated from the green seaweed *Chaetomorpha antennina*, 163
- Structure of the capsular polysaccharide from *Streptococcus pneumoniae* type 7B, 171
- Structure of cyclonulohexaose produced from inulin by cyclonulohexaose fructanotransferase, the crystal, 7
- Synthesis of four diastereomeric octofuranoses from D-glucofuranurono-6,3-lactone via Grignard reactions, 59
- Taro (*Colocasia esculenta*), conversion of red blood cells group B into group O by α -D-galactosidase from, 191
- 1-Thiotrehaloses, hydrogen fluoride-mediated synthesis of, 51
- 1-Thiotrehaloses, synthesis by reaction of D-glucose with hydrogen sulfide of, 51
- Trehaloses, 1-thio-, synthesis of, 51

